

TIB KAT[®] K25 DINCH60

TIB KAT[®] K25 DINCH60 is a catalyst formulation which can be used as a catalyst in following applications:

- curing of MS-polymers
- manufacturing of polyisocyanurates
- crosslinking of maleic anhydride containing polymers with polyols
- cocatalyst for polymers with polyols

TIB KAT[®] K25 DINCH60 shows a high compatibility and miscibility with low polar reaction partners due to its special composition.

Product data

Chemical name	Potassium based formulation
Density (20 °C)	0.950 – 1.000 g/ml
Delivery from	liquid
Colour	colourless
Active matter	approx. 60 %

Typical Data

K-content	5.2 – 5.8 %
Water content	≤ 2.0 %
Colour index (Gardner)	≤ 5.0 %

are given

Storage

TIB KAT[®] K25 DINCH60 can be stored at room temperature in original sealed packaging more than 12 months. Opened drums should be closed immediately after use.

Packaging

1000 kg IBC
200 kg plastic barrels
25 kg plastic drums

Special advice for security

Information concerning:

- classification and labelling according to the regulations governing transport and hazardous chemicals
- protective measures for storage and handling
- safety measures in case of accident and fire
- toxicity and ecological effects

is given in our material safety data sheet.

Customs Tariff No.: 3815 9090

Issue 2 / May 2020